

Cross Reference for Residential Lineset Cover
SLIMDUCT SD vs SpeediChannel

INABA DENKO

* This table shall be reference only. This is based on our in-house research, not guaranteed.

* Check with the specifications for each product of brands before using.

SLIMDUCT SD								SpeediChannel							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
3" DUCT 6.5' LENGTH		SD-77	●	●	●	●	●	3" SpeediChannel		-	●	●	●	-	-
4" DUCT 6.5' LENGTH		SD-100	●	●	●	●	●	4" SpeediChannel		-	●	●	●	-	-
5-5/8" DUCT 6.5' LENGTH		SD-140	●	●	●	●	●	6" SpeediChannel		-	●	●	-	-	-
3" WALL INLET		SW-77	●	●	●	●	●	3" Wall Penetration		-	●	●	●	-	-
4" WALL INLET		SW-100	●	●	●	●	●	4" Wall Penetration		-	●	●	●	-	-
5-5/8" WALL INLET		SW-140	●	●	●	●	●	6" Wall Penetration		-	●	-	-	-	-
3" WALL INLET for Base-Free		SWA-77	●	●	●	●	●	-		-	-	-	-	-	-
4" WALL INLET for Base-Free		SWA-100	○	○	○	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" WALL INLET for A/C CAP		SWM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" WALL INLET for A/C CAP		SWM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" WALL INLET for A/C CAP		SWM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 90° FLAT ELL		SK-77	●	●	●	●	●	3" 90° Flat Bend		-	●	●	●	-	-
4" 90° FLAT ELL		SK-100	●	●	●	●	●	4" 90° Flat Bend		-	●	●	●	-	-
5-5/8" 90° FLAT ELL		SK-140	●	●	●	●	●	6" 90° Flat Bend		-	●	●	-	-	-
3" 90° MINI FLAT ELL		SKM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° MINI FLAT ELL		SKM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° MINI FLAT ELL		SKM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" ADJUSTABLE FLAT ELL 45°-90°		SKS-77	●	●	●	●	●	3" Adjustable Flat Bend		-	●	●	-	-	-
4" ADJUSTABLE FLAT ELL 45°-90°		SKS-100	●	●	-	-	-	4" Adjustable Flat Bend		-	●	●	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	3" 90° Long Radius Bend		-	●	●	●	-	-
-		-	-	-	-	-	-	4" 90° Long Radius Bend		-	●	●	●	-	-
-		-	-	-	-	-	-	6" 90° Long Radius Bend		-	●	●	-	-	-
3" 45° FLAT ELL		SKF-77	●	●	●	●	●	3" 45° Flat Bend		-	●	●	●	-	-
4" 45° FLAT ELL		SKF-100	●	●	●	●	●	4" 45° Flat Bend		-	●	●	●	-	-
5-5/8" 45° FLAT ELL		SKF-140	●	●	●	●	●	6" 45° Flat Bend		-	●	●	-	-	-
3" 90° VERTICAL ELL		SC-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° VERTICAL ELL		SC-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° VERTICAL ELL		SC-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 90° MINI VERTICAL ELL		SCM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° MINI VERTICAL ELL		SCM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° MINI VERTICAL ELL		SCM-140	●	●	●	●	●	-		-	-	-	-	-	-

SLIMDUCT SD								SpeediChannel							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
-		-	-	-	-	-	-	3" 90° Inside Elbow (vertical)		-	●	●	●	-	-
-		-	-	-	-	-	-	4" 90° Inside Elbow (vertical)		-	●	●	●	-	-
-		-	-	-	-	-	-	6" 90° Inside Elbow (vertical)		-	●	●	-	-	-
-		-	-	-	-	-	-	3" 90° outside Elbow (vertical)		-	●	●	●	-	-
-		-	-	-	-	-	-	4" 90° outside Elbow (vertical)		-	●	●	●	-	-
-		-	-	-	-	-	-	6" 90° outside Elbow (vertical)		-	●	●	-	-	-
3" 45° VERTICAL ELL		SCF-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 45° VERTICAL ELL		SCF-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 45° VERTICAL ELL		SCF-140	●	●	●	●	●	-		-	-	-	-	-	-
3" ADJUSTABLE VERTICAL ELL 45°-90°	N/A	SCS-77	○	○	-	-	-	-		-	-	-	-	-	-
4" ADJUSTABLE VERTICAL ELL 45°-90°		SCS-100	○	○	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" END FITTING		SE-77	●	●	●	●	●	3" Duct End		-	●	●	●	-	-
4" END FITTING		SEN-100	●	●	●	●	●	4" Duct End		-	●	●	●	-	-
5-5/8" END FITTING		SEN-140	●	●	●	●	●	6" Duct End		-	●	●	-	-	-
3" TEE		ST-77	●	●	●	●	●	-		-	-	-	-	-	-
4" TEE		ST-100	●	●	●	●	●	4" T Joint		-	●	●	●	-	-
5-5/8" TEE		ST-140	●	●	●	●	●	6" T Joint		-	●	●	-	-	-
3" COUPLER		SJ-77	●	●	●	●	●	3" Union Coupling		-	●	●	●	-	-
4" COUPLER		SJ-100	●	●	●	●	●	4" Union Coupling		-	●	●	●	-	-
5-5/8" COUPLER		SJ-140	●	●	●	●	●	6" Union Coupling		-	●	●	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
4"-3" REDUCER		SDR-100-77	●	●	●	●	●	3" x 4" Reducer Coupling		-	●	●	-	-	-
5-5/8"-4" REDUCER		SDR-140-100	●	●	●	●	●	4" x 6" Reducer Coupling		-	●	●	-	-	-
3" FIXED OFFSET		SIF-77	●	●	●	●	●	-		-	-	-	-	-	-
4" FIXED OFFSET		SIF-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
4" REAR ENTRY COUPER		SJA-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" 90° TWIST ELL		SN-100	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° TWIST ELL		SN-100	●	●	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" WALL FRANGE		SWC-77	●	●	●	●	●	3" Wall Escutcheon		-	●	●	-	-	-
4" WALL FRANGE		SWC-100	●	●	●	●	●	4" Wall Escutcheon		-	●	●	-	-	-
5-5/8" WALL FRANGE		SWC-140	●	●	●	●	●	6" Wall Escutcheon		-	●	●	-	-	-

SLIMDUCT SD								SpeediChannel							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
-		-	-	-	-	-	-	3" Flat Wall Escutcheon		-	●	●	-	-	-
-		-	-	-	-	-	-	4" Flat Wall Escutcheon		-	●	●	-	-	-
-		-	-	-	-	-	-	6" Flat Wall Escutcheon		-	●	●	-	-	-
3" SOFIT INLET		SP-77	●	●	●	●	●	3" Soffit Fitting		-	●	●	-	-	-
4" SOFIT INLET		SP-100	●	●	●	●	●	4" Soffit Fitting		-	●	●	-	-	-
5-5/8" SOFIT INLET		SP-140	●	●	●	●	●	-		-	-	-	-	-	-
3" FLEXIBLE ELL 19-3/4" LENGTH		SF-77-500	●	●	●	●	●	3" FLEX Joint 20" LENGTH		-	●	●	-	-	-
3" FLEXIBLE ELL 39-3/8" LENGTH		SF-77-1000	●	●	●	●	●	-		-	-	-	-	-	-
3" FLEXIBLE ELL 78-3/4" LENGTH		SF-77-2000	●	●	●	●	●	-		-	-	-	-	-	-
4" FLEXIBLE ELL 31-1/2" LENGTH		SF-100-800	●	●	●	●	●	4" FLEX Joint 20" LENGTH		-	●	●	-	-	-
5-5/8" FLEXIBLE ELL 31-1/2" LENGTH		SF-140-800	●	●	●	●	●	-		-	-	-	-	-	-
3" SADDLE FOR FLEXIBLE ELL		SFS-77			●			-		-	-	-	-	-	-
4" SADDLE FOR FLEXIBLE ELL		SFS-100			●			-		-	-	-	-	-	-
5-5/8" SADDLE FOR FLEXIBLE ELL		SFS-140			●			-		-	-	-	-	-	-
3" FLEXIBLE ADAPTOR		SFJ-77	●	●	●	●	●	-		-	-	-	-	-	-
4" FLEXIBLE ADAPTOR		SFJ-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
STRAP KIT		SL-300	●					SpeediCrip and 11" Cable Ties, pack of 10		-			●		
								SpeediCrip, pack of 50		-			●		
								SpeediChannel screws, pack of 100		-			●		
-		-	-	-	-	-	-	3" SpeediChannel Fitting Kit		-	●	●	-	-	-
-		-	-	-	-	-	-	4" SpeediChannel Fitting Kit		-	●	●	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" Slimduct Kit (assembled by RectorSeal)		SDK-77	-	●	-	-	-	3" SpeediChannel Installation Kit		-	●	●	-	-	-
4" Slimduct Kit (assembled by RectorSeal)		SDK-100	-	●	-	-	-	4" SpeediChannel Installation Kit		-	●	●	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	3" Flex Hose Kit		-	●	●	-	-	-
-		-	-	-	-	-	-	4" Flex Hose Kit		-	●	●	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	3" Cap		-	●	●	-	-	-
-		-	-	-	-	-	-	4" Cap		-	●	●	-	-	-
-		-	-	-	-	-	-	6" Cap		-	●	●	-	-	-
Bridge - 3" WALL INLET		SWU-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-


SLIMDUCT SD								SpeediChannel							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
Bridge - 3" HEIGHT ADJUSTER for SWU		SWUS-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" RISER for duct		SDUD-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" CLAMP		SDUO-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" RISER for fittings		SDUP-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" HEIGHT ADJUSTER for SDUD, SDUP		SDUS-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-

Cross Reference for Residential Lineset Cover
SLIMDUCT SD vs CoverGuard


INABA DENKO

* This table shall be reference only. This is based on our in-house research, not guaranteed.

* Check with the specifications for each product of brands before using.

SLIMDUCT SD								Cover Guard							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
3" DUCT 6.5' LENGTH		SD-77	●	●	●	●	●	3" duct 48" length/78" length		3CGDUC(78)	-	●	●	●	-
4" DUCT 6.5' LENGTH		SD-100	●	●	●	●	●	4.5" duct 48" length/78" length		CGDUC(78)	-	●	●	●	-
5-5/8" DUCT 6.5' LENGTH		SD-140	●	●	●	●	●	(Expandable depth)		-	-	-	-	-	-
3" WALL INLET		SW-77	●	●	●	●	●	3" Wall Inlet		NW-75	-	●	●	●	-
4" WALL INLET		SW-100	●	●	●	●	●	4.5" Wall Inlet		NW-100	-	●	●	●	-
5-5/8" WALL INLET		SW-140	●	●	●	●	●	-		-	-	-	-	-	-
3" WALL INLET for Base-Free		SWA-77	●	●	●	●	●	-		-	-	-	-	-	-
4" WALL INLET for Base-Free		SWA-100	○	○	○	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" WALL INLET for A/C CAP		SWM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" WALL INLET for A/C CAP		SWM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" WALL INLET for A/C CAP		SWM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 90° FLAT ELL		SK-77	●	●	●	●	●	3" 90° Elbow		3CG90	-	●	●	●	-
4" 90° FLAT ELL		SK-100	●	●	●	●	●	4.5" 90° Elbow		CG90	-	●	●	●	-
5-5/8" 90° FLAT ELL		SK-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 90° MINI FLAT ELL		SKM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° MINI FLAT ELL		SKM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° MINI FLAT ELL		SKM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" ADJUSTABLE FLAT ELL 45°-90°		SKS-77	●	●	●	●	●	-		-	-	-	-	-	-
4" ADJUSTABLE FLAT ELL 45°-90°		SKS-100	●	●	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	3" 90° Sweep		3CG90SWP	-	●	●	●	-
-		-	-	-	-	-	-	4.5" 90° Sweep		CG90SWP	-	●	●	●	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" 45° FLAT ELL		SKF-77	●	●	●	●	●	3" 45° Elbow		3CG45	-	●	●	●	-
4" 45° FLAT ELL		SKF-100	●	●	●	●	●	4.5" 45° Elbow		CG45	-	●	●	●	-
5-5/8" 45° FLAT ELL		SKF-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 90° VERTICAL ELL		SC-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° VERTICAL ELL		SC-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° VERTICAL ELL		SC-140	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	3" Internal 90° Elbow (vertical)		3CGINT90	-	●	●	●	-
-		-	-	-	-	-	-	4.5" Internal 90° Elbow (vertical)		CGINT90	-	●	●	●	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	3" External 90° Elbow (vertical)		3CGEXT90	-	●	●	●	-
-		-	-	-	-	-	-	4.5" External 90° Elbow (vertical)		CGEXT90	-	●	●	●	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-

SLIMDUCT SD								Cover Guard							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
3" 90° MINI VERTICAL ELL		SCM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° MINI VERTICAL ELL		SCM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° MINI VERTICAL ELL		SCM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 45° VERTICAL ELL		SCF-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 45° VERTICAL ELL		SCF-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 45° VERTICAL ELL		SCF-140	●	●	●	●	●	-		-	-	-	-	-	-
3" ADJUSTABLE VERTICAL ELL 45°-90°	N/A	SCS-77	○	○	-	-	-	-		-	-	-	-	-	-
4" ADJUSTABLE VERTICAL ELL 45°-90°		SCS-100	○	○	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" END FITTING		SE-77	●	●	●	●	●	3" End Cap		3CGEND	-	●	●	●	-
4" END FITTING		SEN-100	●	●	●	●	●	4.5" End Cap		CGEND	-	●	●	●	-
5-5/8" END FITTING		SEN-140	●	●	●	●	●	-		-	-	●	●	●	-
3" TEE		ST-77	●	●	●	●	●	-		-	-	-	-	-	-
4" TEE		ST-100	●	●	●	●	●	4.5" Tee Elbow		CGTEE	-	●	●	-	-
5-5/8" TEE		ST-140	●	●	●	●	●	-		-	-	-	-	-	-
3" COUPLER		SJ-77	●	●	●	●	●	3" Coupler		3CGCUP	-	●	●	●	-
4" COUPLER		SJ-100	●	●	●	●	●	4.5" Coupler		CGCUP	-	●	●	●	-
5-5/8" COUPLER		SJ-140	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
4"-3" REDUCER		SDR-100-77	●	●	●	●	●	4.5" Reducer		CGRDR	-	●	●	-	-
5-5/8"-4" REDUCER		SDR-140-100	●	●	●	●	●	-		-	-	-	-	-	-
3" FIXED OFFSET		SIF-77	●	●	●	●	●	-		-	-	-	-	-	-
4" FIXED OFFSET		SIF-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
4" REAR ENTRY COUPER		SJA-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" 90° TWIST ELL		SN-100	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° TWIST ELL		SN-100	●	●	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" WALL FRANGE		SWC-77	●	●	●	●	●	-		-	-	-	-	-	-
4" WALL FRANGE		SWC-100	●	●	●	●	●	4.5" Wall Flange		CGWLFL	-	●	●	-	-
5-5/8" WALL FRANGE		SWC-140	●	●	●	●	●	-		-	-	-	-	-	-
3" SOFIT INLET		SP-77	●	●	●	●	●	3" Soffit Fitting		3CGSTI	-	●	●	●	-
4" SOFIT INLET		SP-100	●	●	●	●	●	4.5" Soffit Fitting		CGSTI	-	●	●	●	-
5-5/8" SOFIT INLET		SP-140	●	●	●	●	●	-		-	-	-	-	-	-


SLIMDUCT SD								Cover Guard							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
3" FLEXIBLE ELL 19-3/4" LENGTH		SF-77-500	●	●	●	●	●	3" Small Flex Elbow 36" length		3CGFLXSM	-	●	●	●	-
3" FLEXIBLE ELL 39-3/8" LENGTH		SF-77-1000	●	●	●	●	●	3" Small Flex Elbow 36" length		CGFLXSM	-	●	●	●	-
3" FLEXIBLE ELL 78-3/4" LENGTH		SF-77-2000	●	●	●	●	●	-		-	-	-	-	-	-
4" FLEXIBLE ELL 31-1/2" LENGTH		SF-100-800	●	●	●	●	●	4.5" Large Flex Elbow 36" length		CGFLXLR	-	●	●	-	-
5-5/8" FLEXIBLE ELL 31-1/2" LENGTH		SF-140-800	●	●	●	●	●	-		-	-	-	-	-	-
3" SADDLE FOR FLEXIBLE ELL		SFS-77						-		-	-	-	-	-	
4" SADDLE FOR FLEXIBLE ELL		SFS-100						-		-	-	-	-	-	
5-5/8" SADDLE FOR FLEXIBLE ELL		SFS-140						-		-	-	-	-	-	
3" FLEXIBLE ADAPTOR		SFJ-77	●	●	●	●	●	3" Flex Adapter		3CGFLXA	-	●	●	●	-
4" FLEXIBLE ADAPTOR		SFJ-100	●	●	●	●	●	4.5" Flex Adapter		CGFLXA	-	●	●	●	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
STRAP KIT		SL-300	●					3" Duct Clips		3CGSCLP	●				
			4.5" Duct Clips	CGSCLP	●										
			-	-	-										
3" Slimduct Kit (assembled by RectorSeal)		SDK-77	-	●	-	-	-	3" Convenient Pre Packaged KIT		3CGKIT	-	●	●	●	-
4" Slimduct Kit (assembled by RectorSeal)		SDK-100	-	●	-	-	-	4.5" Convenient Pre Packaged KIT		CGKIT	-	●	●	●	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
Bridge - 3" WALL INLET		SWU-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
-		-	-	-	-	-	-	-		-	-	-	-	-	
Bridge - 3" HEIGHT ADJUSTER for SWU		SWUS-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
-		-	-	-	-	-	-	-		-	-	-	-	-	
Bridge - 3" RISER for duct		SDUD-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
-		-	-	-	-	-	-	-		-	-	-	-	-	
Bridge - 3" CLAMP		SDUO-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
-		-	-	-	-	-	-	-		-	-	-	-	-	
Bridge - 3" RISER for fittings		SDUP-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
-		-	-	-	-	-	-	-		-	-	-	-	-	
Bridge - 3" HEIGHT ADJUSTER for SDUD, SDUP		SDUS-77	●	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	
-		-	-	-	-	-	-	-		-	-	-	-	-	

Cross Reference for Residential Lineset Cover
SLIMDUCT SD vs LineHide

INABA DENKO

* This table shall be reference only. This is based on our in-house research, not guaranteed.

* Check with the specifications for each product of brands before using.

SLIMDUCT SD								LineHide							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
3" DUCT 6.5' LENGTH		SD-77	●	●	●	●	●	2-15/16" Split Line Tube		CD-75	●	-	-	-	-
4" DUCT 6.5' LENGTH		SD-100	●	●	●	●	●	3-7/8" Split Line Tube		CD-100	●	-	-	-	-
5-5/8" DUCT 6.5' LENGTH		SD-140	●	●	●	●	●	5-7/16" Split Line Tube		CD-140	●	-	-	-	-
3" WALL INLET		SW-77	●	●	●	●	●	2-15/16" Wall Cover/Inlet		NW-75	●	-	-	-	-
4" WALL INLET		SW-100	●	●	●	●	●	3-7/8" Wall Cover/Inlet		NW-100	●	-	-	-	-
5-5/8" WALL INLET		SW-140	●	●	●	●	●	5-7/16" Wall Cover/Inlet		NW-140	●	-	-	-	-
3" WALL INLET for Base-Free		SWA-77	●	●	●	●	●	2-15/16" Simple Wall Cover		NY-75	●	-	-	-	-
4" WALL INLET for Base-Free		SWA-100	○	○	○	-	-	3-7/8" Simple Wall Cover		NY-100	●	-	-	-	-
-		-	-	-	-	-	-	5-7/16" Simple Wall Cover		NY-140	●	-	-	-	-
3" WALL INLET for A/C CAP		SWM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" WALL INLET for A/C CAP		SWM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" WALL INLET for A/C CAP		SWM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 90° FLAT ELL		SK-77	●	●	●	●	●	2-15/16" 90° Elbow (Horizontal)		NE-75	●	-	-	-	-
4" 90° FLAT ELL		SK-100	●	●	●	●	●	3-7/8" 90° Elbow (Horizontal)		NE-100	●	-	-	-	-
5-5/8" 90° FLAT ELL		SK-140	●	●	●	●	●	5-7/16" 90° Elbow (Horizontal)		NE-140	●	-	-	-	-
3" 90° MINI FLAT ELL		SKM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° MINI FLAT ELL		SKM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° MINI FLAT ELL		SKM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" ADJUSTABLE FLAT ELL 45°-90°		SKS-77	●	●	●	●	●	2-15/16" Universal Elbow (Horizontal)		NX-75	●	-	-	-	-
4" ADJUSTABLE FLAT ELL 45°-90°		SKS-100	●	●	-	-	-	3-7/8" Universal Elbow (Horizontal)		NX-100	●	-	-	-	-
-		-	-	-	-	-	-	5-7/16" Universal Elbow (Horizontal)		NX-140	●	-	-	-	-
3" 45° FLAT ELL		SKF-77	●	●	●	●	●	2-15/16" 45° Elbow (Horizontal)		NM-75	●	-	-	-	-
4" 45° FLAT ELL		SKF-100	●	●	●	●	●	3-7/8" 45° Elbow (Horizontal)		NM-100	●	-	-	-	-
5-5/8" 45° FLAT ELL		SKF-140	●	●	●	●	●	5-7/16" 45° Elbow (Horizontal)		NM-140	●	-	-	-	-
3" 90° VERTICAL ELL		SC-77	●	●	●	●	●	2-15/16" 90° Elbow (Vertical)		NC-75	●	-	-	-	-
4" 90° VERTICAL ELL		SC-100	●	●	●	●	●	3-7/8" 90° Elbow (Vertical)		NC-100	●	-	-	-	-
5-5/8" 90° VERTICAL ELL		SC-140	●	●	●	●	●	5-7/16" 90° Elbow (Vertical)		NC-140	●	-	-	-	-
3" 90° MINI VERTICAL ELL		SCM-77	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° MINI VERTICAL ELL		SCM-100	●	●	●	●	●	-		-	-	-	-	-	-
5-5/8" 90° MINI VERTICAL ELL		SCM-140	●	●	●	●	●	-		-	-	-	-	-	-
3" 45° VERTICAL ELL		SCF-77	●	●	●	●	●	2-15/16" 45° Elbow (Vertical)		NU-75	●	-	-	-	-
4" 45° VERTICAL ELL		SCF-100	●	●	●	●	●	3-7/8" 45° Elbow (Vertical)		NU-100	●	-	-	-	-
5-5/8" 45° VERTICAL ELL		SCF-140	●	●	●	●	●	5-7/16" 45° Elbow (Vertical)		NU-140	●	-	-	-	-
3" ADJUSTABLE VERTICAL ELL 45°-90°	N/A	SCS-77	○	○	-	-	-	2-15/16" Universal Elbow (Vertical)		NZ-75	●	-	-	-	-
4" ADJUSTABLE VERTICAL ELL 45°-90°		SCS-100	○	○	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-

SLIMDUCT SD								LineHide							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
3" END FITTING		SE-77	●	●	●	●	●	2-15/16" End Socket (Can be cut)		NR-75	●	-	-	-	-
4" END FITTING		SEN-100	●	●	●	●	●	3-7/8" End Socket (Can be cut)		NR-100	●	-	-	-	-
5-5/8" END FITTING		SEN-140	●	●	●	●	●	5-7/16" End Socket (Can be cut)		NR-140	●	-	-	-	-
3" TEE		ST-77	●	●	●	●	●	2-15/16" T-Joint		NT-75	●	-	-	-	-
4" TEE		ST-100	●	●	●	●	●	3-7/8" T-Joint		NT-100	●	-	-	-	-
5-5/8" TEE		ST-140	●	●	●	●	●	5-7/16" T-Joint		NT-140	●	-	-	-	-
3" COUPLER		SJ-77	●	●	●	●	●	2-15/16" Socket/Coupling joint two pieces of tubing		NS-75	●	-	-	-	-
4" COUPLER		SJ-100	●	●	●	●	●	3-7/8" Socket/Coupling joint two pieces of tubing		NS-100	●	-	-	-	-
5-5/8" COUPLER		SJ-140	●	●	●	●	●	5-7/16" Socket/Coupling joint two pieces of tubing		NS-140	●	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
4"-3" REDUCER		SDR-100-77	●	●	●	●	●	3-7/8 - 2-15/16" Variant Socket/Reducer		NJ-75/100	●	-	-	-	-
5-5/8"-4" REDUCER		SDR-140-100	●	●	●	●	●	5-7/16 - 3-7/8" Variant Socket/Reducer		NJ-100/140	●	-	-	-	-
3" FIXED OFFSET		SIF-77	●	●	●	●	●	-		-	-	-	-	-	-
4" FIXED OFFSET		SIF-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
4" REAR ENTRY COUPER		SJA-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" 90° TWIST ELL		SN-100	●	●	●	●	●	-		-	-	-	-	-	-
4" 90° TWIST ELL		SN-100	●	●	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
3" WALL FRANGE		SWC-77	●	●	●	●	●	2-15/16" Wall Entry Fitting		NK-75	●	-	-	-	-
4" WALL FRANGE		SWC-100	●	●	●	●	●	3-7/8" Wall Entry Fitting		NK-100	●	-	-	-	-
5-5/8" WALL FRANGE		SWC-140	●	●	●	●	●	5-7/16" Wall Entry Fitting		NK-140	●	-	-	-	-
3" SOFIT INLET		SP-77	●	●	●	●	●	2-15/16" Coner Cap/Sofit Entry Fitting		NA-75	●	-	-	-	-
4" SOFIT INLET		SP-100	●	●	●	●	●	3-7/8" Coner Cap/Sofit Entry Fitting		NA-100	●	-	-	-	-
5-5/8" SOFIT INLET		SP-140	●	●	●	●	●	5-7/16" Coner Cap/Sofit Entry Fitting		NA-140	●	-	-	-	-
3" FLEXIBLE ELL 19-3/4" LENGTH		SF-77-500	●	●	●	●	●	2-15/16" Flexible Joint 21-5/8" lenglth		NF-75	●	-	-	-	-
3" FLEXIBLE ELL 39-3/8" LENGTH		SF-77-1000	●	●	●	●	●	2-15/16" Flexible Joint 39-3/8" lenglth		NF75M	●	-	-	-	-
3" FLEXIBLE ELL 78-3/4" LENGTH		SF-77-2000	●	●	●	●	●	-		-	-	-	-	-	-
4" FLEXIBLE ELL 31-1/2" LENGTH		SF-100-800	●	●	●	●	●	3-7/8" Flexible Joint 31-1/2" lenglth		NF-100	●	-	-	-	-
5-5/8" FLEXIBLE ELL 31-1/2" LENGTH		SF-140-800	●	●	●	●	●	5-7/16" Flexible Joint 39-3/8" lenglth		NF-140	●	-	-	-	-
3" SADDLE FOR FLEXIBLE ELL		SFS-77			●			-		-	-	-	-	-	-
4" SADDLE FOR FLEXIBLE ELL		SFS-100			●			-		-	-	-	-	-	-
5-5/8" SADDLE FOR FLEXIBLE ELL		SFS-140			●			-		-	-	-	-	-	-
3" FLEXIBLE ADAPTOR		SFJ-77	●	●	●	●	●	-		-	-	-	-	-	-
4" FLEXIBLE ADAPTOR		SFJ-100	●	●	●	●	●	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-

SLIMDUCT SD								LineHide							
Description	Photo	Item #	IV	WH	BR	GY	BK	Description	Photo	Item #	IV	WH	BR	GY	BK
STRAP KIT		SL-300	●					Saddle Band 11-13/16" Length		NV-S	●				
								Saddle Band 14-3/16" Length		NV-L	●				
								NV-S for 60 and 75		-	●				
								-		-	-	-	-	-	-
3" Slimduct Kit (assembled by RectorSeal)		SDK-77	-	●	-	-	-	-	-	-	-	-	-	-	-
4" Slimduct Kit (assembled by RectorSeal)		SDK-100	-	●	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" WALL INLET		SWU-77	●	-	-	-	-	-	-	-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" HEIGHT ADJUSTER for SWU		SWUS-77	●	-	-	-	-	-	-	-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" RISER for duct		SDUD-77	●	-	-	-	-	-	-	-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" CLAMP		SDUO-77	●	-	-	-	-	-	-	-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" RISER for fittings		SDUP-77	●	-	-	-	-	-	-	-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
Bridge - 3" HEIGHT ADJUSTER for SDUD, SDUP		SDUS-77	●	-	-	-	-	-	-	-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-
-		-	-	-	-	-	-	-		-	-	-	-	-	-